


DART

DESIGN	CP	DRAWN BY	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	REV. B
CHECKED	HH	APPROVED	HH	DRAWING NO. D3281	SHEET 1 OF 3
DATE	05.11.25	TITLE	FLOOR PROTECTOR	SCALE	1:5
A	04.05.03	NEW ISSUE			
B	05.11.25	NOW LEXAN; DIMS AS MANUFACTURED			

**D3281-1 FLOOR PROTECTOR. FWD LH**


- 1) THERMOFORM D3281-1 USING MOLD D3281-1T1, TRIM USING D3281-1T2
- 2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN CP	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3281	REV. B SHEET 2 OF 3
DATE 05.11.25		TITLE FLOOR PROTECTOR	SCALE 1:5

**D3281-2 FLOOR PROTECTOR. FWD RH**


- 1) THERMOFORM D3281-2 USING MOLD D3281-2T1, TRIM USING D3281-2T2
- 2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>CP</i>	DRAWN BY <i>CP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>h</i>	APPROVED <i>h</i>	DRAWING NO. D3281	REV. B SHEET 3 OF 3
DATE 05.11.25		TITLE FLOOR PROTECTOR	SCALE 1:5

**RELEASED**
05.2.01. *h***UNDER REVIEW**

07.10.05 LE

OK TO MANUFACTURE
AND SHIP**D3281-3 FLOOR PROTECTOR. AFT LH (SHOWN)****D3281-4 FLOOR PROTECTOR. AFT RH (OPPOSITE)**

- 1) THERMOFORM D3281-3 USING MOLD D3281-3T1, TRIM USING D3281-3T2
THERMOFORM D3281-4 USING MOLD D3281-4T1, TRIM USING D3281-4T2
- 2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.